



At Blitz Glass we provide a wide range of glass pool fencing products that are suited to various styles of pool fencing solutions.

The tempered safety glass that is toughened to meet all Australian Standards. Our large range of modular Glass panels allows you to use any combination of sizes to suit your requirements.

All panels are 1200mm high and range in

widths from 100mm through to 2000mm wide.

Every pool fence requires a stylish and safe glass gate. We offer an extensive range of glass gates in various widths that are complemented by our high quality hinge and latch components.

The range of hinges and latches provide you options to fit your gate in particular configurations and also to provide you the functionality and safety that you require whilst offering a stylish solution.

An extensive range of fixings and products are available to support the glass panels depending on your design and configuration requirements.

Range information:

Glass Panels

- Fully Frameless Pool Panels
- Glass Gates
- Stand Off / Denial Panels
- Semi Frameless Pool Panels
- Gate Hinged Panels
- Retaining Wall Panels
- Channel Glass Panels

Gates


- Standard Gate Hinges
- Standard Gate Latches
- Polaris Gate Hinges
- Specialised Gate Latches



Frameless Pool Fencing (12mm)

Fully Frameless Glass Panels

Blitz Glass stocks a large range of 12mm thick clear toughened glass pool panels that allows you to select an installation configuration to cover nearly all frameless situations. Panels are produced under strict quality conformance requirements which allows us to supply only the highest quality glass.



12 mm thick clear toughened

2 mm radius corners

Suits friction spigots

No hole toughened glass

Superior edge finishing


Grade "A" toughened glass

**Australian Standards
copliant AS/NSS2208**

Corner protectors in packing

Item Code	Width	Height	SQM	Weight
FF-0100	100mm	1200mm	0.24	3kg
FF-0200	200mm	1200mm	0.24	7kg
FF-0300	300mm	1200mm	0.24	11kg
FF-0400	400mm	1200mm	0.24	14kg
FF-0450	450mm	1200mm	0.24	16kg
FF-0500	500mm	1200mm	0.24	18kg
FF-0550	550mm	1200mm	0.24	20kg
FF-0600	600mm	1200mm	0.24	22kg
FF-0650	650mm	1200mm	0.24	24kg
FF-0700	700mm	1200mm	0.24	26kg
FF-0750	750mm	1200mm	0.24	28kg
FF-0800	800mm	1200mm	0.24	30kg
FF-0850	850mm	1200mm	0.24	32kg
FF-0900	900mm	1200mm	0.24	34kg
FF-1000	1000mm	1200mm	0.24	36kg
FF-1050	1050mm	1200mm	0.24	38kg
FF-1100	1100mm	1200mm	0.24	40kg
FF-1150	1150mm	1200mm	0.24	42kg
FF-1200	1200mm	1200mm	0.24	44kg
FF-1250	1250mm	1200mm	0.24	46kg
FF-1300	1300mm	1200mm	0.24	48kg
FF-1350	1350mm	1200mm	0.24	50kg
FF-1400	1400mm	1200mm	0.24	52kg
FF-1450	1450mm	1200mm	0.24	54kg
FF-1500	1500mm	1200mm	0.24	56kg
FF-1550	1550mm	1200mm	0.24	58kg
FF-1600	1600mm	1200mm	0.24	60kg
FF-1650	1650mm	1200mm	0.24	62kg
FF-1700	1700mm	1200mm	0.24	64kg
FF-1750	1750mm	1200mm	0.24	66kg
FF-1800	1800mm	1200mm	0.24	68kg
FF-1850	1850mm	1200mm	0.24	70kg
FF-1900	1900mm	1200mm	0.24	72kg
FF-1950	1950mm	1200mm	0.24	74kg
FF-2000	2000mm	1200mm	0.24	76kg

Frameless Hinge Panels



12 mm thick clear toughened

3 mm radius corners

Suits master range hardware

4xØ14mm holes.


Order code	Width	Height	Sqm	Weight
FHP-0500	500mm	1200mm	0.60	18kg
FHP-1000	1000mm	1200mm	1.20	36kg
FHP-1100	1100mm	1200mm	1.32	40kg
FHP-1200	1200mm	1200mm	1.44	43kg
FHP-1300	1300mm	1200mm	1.56	47kg
FHP-1400	1400mm	1200mm	1.68	50kg
FHP-1500	1500mm	1200mm	1.80	54kg
FHP-1600	1600mm	1200mm	1.92	58kg
FHP-1700	1700mm	1200mm	2.04	62kg
FHP-1800	1800mm	1200mm	2.16	65kg

We offer multiple Hinge Panel options combined with our range of gates & extensive hinge & latch hardware to suit your gate configurations.



These Hinge Panels can be used with the standard & Master Range Hinges.

Polaris Hinge Panels (12mm)



With 8 Hinge Panel options to suit Master Range Hinge hardware and an extensive range of gate panels your glass installation configurations should be satisfied.

12mm thick clear toughened

5mm radius corners

Suits Polaris 110 series and 120 series hinges

2x hinge cut outs


Use with glass to glass Polaris Soft Close hinges



Order Code	Width	Height	Sqm	Weight
12NPH-1000	1000mm	1200mm	1.20	36kg
12NPH-1100	1100mm	1200mm	1.32	40kg
12NPH-1200	1200mm	1200mm	1.44	43kg
12NPH-1300	1300mm	1200mm	1.56	47kg
12NPH-1400	1400mm	1200mm	1.68	50kg
12NPH-1500	1500mm	1200mm	1.80	54kg
12NPH-1600	1600mm	1200mm	1.92	58kg
12NPH-1700	1700mm	1200mm	2.04	62kg
12NPH-1800	1800mm	1200mm	2.16	65kg

Frameless Panels - Suggested Spigot Placement




Suggested spigot placement



Overall Width	A*	B*	C*
200mm	50mm	100mm	50mm
300mm	100mm	100mm	100mm
400mm	100mm	200mm	100mm
450mm	100mm	250mm	100mm
500mm	100mm	300mm	100mm
550mm	100mm	350mm	100mm
600mm	100mm	400mm	100mm
650mm	100mm	450mm	100mm
700mm	100mm	500mm	100mm
750mm	150mm	450mm	150mm
800mm	150mm	500mm	150mm
900mm	150mm	600mm	150mm
950mm	150mm	650mm	150mm
1000mm	150mm	700mm	150mm
1050mm	150mm	750mm	150mm
1100mm	200mm	700mm	200mm
1150mm	200mm	750mm	200mm
1200mm	200mm	800mm	200mm
1250mm	200mm	850mm	200mm
1300mm	200mm	900mm	200mm
1350mm	200mm	950mm	200mm
1400mm	250mm	900mm	250mm
1450mm	250mm	950mm	250mm
1500mm	250mm	1000mm	250mm
1550mm	250mm	1050mm	250mm
1600mm	250mm	1100mm	250mm
1650mm	250mm	1150mm	250mm
1700mm	250mm	1200mm	250mm
1750mm	250mm	1250mm	250mm
1800mm	300mm	1200mm	300mm
1850mm	300mm	1250mm	300mm
1900mm	300mm	1300mm	300mm
1950mm	300mm	1350mm	300mm
2000mm	300mm	1400mm	300mm

* to centre of spigot

Retaining wall panels (12mm)




To be compliant to pool fencing requirements, raked panels may be needed.

Our raked planes are higher at one side of the glass which enables step points or changes in height to be overcome. Blitz Glass has 1200mm wide panels with 3 heights available. The modular raked panels are at a large cost saving to custom made raked glass and also enable jobs to be completed immediately.


Please take care to refer to relevant Standards to ensure our raked panels are suitable for your needs as each installation situation/compliance requirement is unique.

Order code	Width	Height	Sqm	Weight
12NRP-1400HT	1200mm	1400mm	1.60	48kg
12NRP-1600HT	1200mm	1600mm	1.76	53kg
12NRP-1800HT	1200mm	1800mm	1.92	58kg


● overcome different levels along fence line



Overcome landscaping as a toe hold along fence line



● overcome stepping point issues around fence line



12 mm thick clear toughened

5 mm radius corners

Suits friction spigots

No hole toughened glass

Superior edge finishing

Grade "A" toughened glass

Australian Standards
compliant AS/NSS2208

Corner protectors in packing

Consider using RIGI clamps to provide extra rigidity for bracing to adjacent panels



Stand off / Denial Panels

Stand off or Denial Panels can be side fixed to provide a compliance solution.


At 1450mm high they are designed to sidefix in an allow the height to match the 1200mm high panels as part of the standard pool fence.



Order code	Width	Height	Sqm	Weight	Centre
SOP-0900	900mm	1450mm	1.30	39kg	600
SOP-1000	1000mm	1450mm	1.45	43.5kg	700
SOP-1100	1100mm	1450mm	1.60	48kg	800
SOP-1200	1200mm	1450mm	1.75	52.1	900

Cleargaze Channels Glass Panels

For the minimalist look, Clearglaze channel glass is an ideal solution. Glass is grouted directly into the ground which removes the need for spigots. When preparing for new concrete pours, a slot can be left into which glass panels are inserted and then grouted in. For existing concrete areas, suitable concrete cutting can provide the required slot. Glass is 1350mm high to ensure the top of glass remains at 1200mm or more above finished floor level.




Order code	Width	Height	Sqm	Weight
12CG-0800	800mm	1350mm	1.08	32kg
12CG-1000	1000mm	1350mm	1.35	41kg
12CG-1100	1100mm	1350mm	1.49	45kg
12CG-1200	1200mm	1350mm	1.62	49kg
12CG-1300	1300mm	1350mm	1.76	53kg
12CG-1400	1400mm	1350mm	1.89	57kg
12CG-1500	1500mm	1350mm	2.03	61kg
12CG-1600	1600mm	1350mm	2.16	65kg

12 mm thick clear toughened
5 mm radius corners

Cleargaze Channels Glass Hinge Panels

To compliment the Cleargaze panel range, a 1000mm wide hinge panel is available to suit the Master Range and Polaris hinges. The hinge panel may be used in conjunction with multiple gate sizes to achieve your desired configuration.

Hinge panel to suits Master Range Gate




12mm thick clear toughened
5mm radius corners
Suits master range hardware
4x Ø14mm holes

** Refer to page 63 for installation details*

Order Code	Sqm	Weight
12CGH-1000	1.35	41kg

Hinge panel to suits Polaris Gate




12mm thick clear toughened
5mm radius corners
Suits Polaris hardware
2x hinge cut outs

Order Code	Sqm	Weight
12CGPH-1000	1.35	41kg

Semi Frameless Pool Fencing (10mm)

We have an extensive range of 1200mm high, 10mm thick clear toughened glass panels in incremental spans.

Coupled with the Australis aluminium 50mm square post range and our modular glass gates, a visually stunning semi-frameless pool fence project can be easily completed.



10mm thick clear toughened

2mm radius corners

Suits Australis range posts

No hole toughened glass

Grade 'A' toughened glass

Australian standards compliant
AS/NZS2208


Corner protectors in packing

Item Code	Width	Height	SQM	Weight	Post Centres
SF-0384	384mm	1200mm	0.46	12kg	395-405mm
SF-0484	484mm	1200mm	0.58	15kg	495-505mm
SF-0584	584mm	1200mm	0.70	18kg	595-605mm
SF-0684	684mm	1200mm	0.82	21kg	695-705mm
SF-0784	784mm	1200mm	0.94	24kg	795-805mm
SF-0884	884mm	1200mm	1.06	27kg	895-905mm
SF-0984	984mm	1200mm	1.18	30kg	995-1005mm
SF-1034	1034mm	1200mm	1.24	31kg	1045-1055mm
SF-1084	1084mm	1200mm	1.30	33kg	1095-1105mm
SF-1134	1134mm	1200mm	1.36	34kg	1145-1155mm
SF-1184	1184mm	1200mm	1.42	36kg	1195-1205mm
SF-1234	1234mm	1200mm	1.48	37kg	1245-1255mm
SF-1284	1284mm	1200mm	1.54	39kg	1295-1305mm
SF-1334	1334mm	1200mm	1.60	40kg	1345-1355mm
SF-1384	1384mm	1200mm	1.66	42kg	1395-1405mm
SF-1434	1434mm	1200mm	1.72	43kg	1445-1455mm
SF-1484	1484mm	1200mm	1.78	45kg	1495-1505mm
SF-1534	1534mm	1200mm	1.84	46kg	1545-1555mm
SF-1584	1584mm	1200mm	1.90	48kg	1595-1605mm
SF-1634	1634mm	1200mm	1.96	49kg	1645-1655mm
SF-1684	1684mm	1200mm	2.02	51kg	1695-1705mm
SF-1734	1734mm	1200mm	2.08	52kg	1745-1755mm
SF-1784	1784mm	1200mm	2.14	54kg	1795-1805mm
SF-1834	1834mm	1200mm	2.20	55kg	1845-1855mm
SF-1884	1884mm	1200mm	2.26	57kg	1895-1905mm
SF-1934	1934mm	1200mm	2.32	58kg	1945-1955mm
SF-1984	1984mm	1200mm	2.38	60kg	1995-2005mm

Semi Frameless Pool Fencing (10mm)

We have an extensive range of 1200mm high, 10mm thick clear toughened glass panels in incremental spans.

Coupled with the Australis aluminium 50mm square post range and our modular glass gates, a visually stunning semi-frameless pool fence project can be easily completed.



- 10mm thick clear toughened
- 2mm radius corners
- Suits Australis range posts
- No hole toughened glass
- Grade 'A' toughened glass
- Australian standards compliant AS/NZS2208
- Corner protectors in packing

Item Code	Width	Height	SQM	Weight	Post Centres
SF-0384	384mm	1200mm	0.46	12kg	395-405mm
SF-0484	484mm	1200mm	0.58	15kg	495-505mm
SF-0584	584mm	1200mm	0.70	18kg	595-605mm
SF-0684	684mm	1200mm	0.82	21kg	695-705mm
SF-0784	784mm	1200mm	0.94	24kg	795-805mm
SF-0884	884mm	1200mm	1.06	27kg	895-905mm
SF-0984	984mm	1200mm	1.18	30kg	995-1005mm
SF-1034	1034mm	1200mm	1.24	31kg	1045-1055mm
SF-1084	1084mm	1200mm	1.30	33kg	1095-1105mm
SF-1134	1134mm	1200mm	1.36	34kg	1145-1155mm
SF-1184	1184mm	1200mm	1.42	36kg	1195-1205mm
SF-1234	1234mm	1200mm	1.48	37kg	1245-1255mm
SF-1284	1284mm	1200mm	1.54	39kg	1295-1305mm
SF-1334	1334mm	1200mm	1.60	40kg	1345-1355mm
SF-1384	1384mm	1200mm	1.66	42kg	1395-1405mm
SF-1434	1434mm	1200mm	1.72	43kg	1445-1455mm
SF-1484	1484mm	1200mm	1.78	45kg	1495-1505mm
SF-1534	1534mm	1200mm	1.84	46kg	1545-1555mm
SF-1584	1584mm	1200mm	1.90	48kg	1595-1605mm
SF-1634	1634mm	1200mm	1.96	49kg	1645-1655mm
SF-1684	1684mm	1200mm	2.02	51kg	1695-1705mm
SF-1734	1734mm	1200mm	2.08	52kg	1745-1755mm
SF-1784	1784mm	1200mm	2.14	54kg	1795-1805mm
SF-1834	1834mm	1200mm	2.20	55kg	1845-1855mm
SF-1884	1884mm	1200mm	2.26	57kg	1895-1905mm
SF-1934	1934mm	1200mm	2.32	58kg	1945-1955mm
SF-1984	1984mm	1200mm	2.38	60kg	1995-2005mm

Standard Glass Gates (8mm)

-Ranges from 750mm to 1000mm-

A technical diagram of a glass gate. The overall height is 1200mm. The width is shown as a range from 750mm to 1000mm. The diagram includes several dimension lines: a vertical line on the left for the total height (1200mm), a horizontal line at the top for the width (750mm to 1000mm), and several smaller vertical and horizontal lines indicating specific measurements: 66mm, 47mm, 24mm, 209mm, 42mm, 20mm, 47mm, and 66mm. The gate is shown in a light blue color with a white border.

8 mm thick clear toughened

2 mm radius corners

Suits master range hardware

6xØ10mm holes.

Item Code	Width	Height	SQM	Weight
GP-0750	750mm	1200mm	0.90	18.0kg
GP-0800	800mm	1200mm	0.96	19.2kg
GP-0834	834mm	1200mm	1.00	20.0kg
GP-0850	850mm	1200mm	1.02	20.4kg
GP-0890	890mm	1200mm	1.07	21.4kg
GP-0900	900mm	1200mm	1.08	21.6kg
GP-0950	950mm	1200mm	1.14	22.8kg
GP-1000	1000mm	1200mm	1.20	24.0kg


We offer a range of 8mm glass gates that can be hinged from glass hinge panels or adjacent to a wall or post.

Holes are pre-drilled to match our range of hinges & latch hardware.

Polaris Glass Gates (12mm)

Polaris hinges are specially designed with a soft close action to take the weight of a 12mm thick glass gate. The depth of the glass cut outs differ between the wall/post hinge gate and the glass to glass gate. A deeper hinge cut out is required for the wall/post glass gate, which is why two gate types are offered. We offer 2 widths of gates to suit each Polaris Soft Close hinge configuration.

Glass to Glass Configuration




Suits glass to glass installation

Item Code	Width	Height	SQM	Weight
12PGG-0800	800mm	1200mm	0.96	29kg
12PGG-0900	900mm	1200mm	1.08	32kg

12mm thick clear toughened
5mm radius corners
Suits Polaris 120 series hinges
2x hinge cut outs
2x 12mm diameter holes

Glass to Wall/Post Configuration



Suits glass to wall/post installation

Item Code	Width	Height	SQM	Weight
12PWG-0800	800mm	1200mm	0.96	29kg
12PWG-0900	900mm	1200mm	1.08	32kg