

LIFESTYLE SQUARE RANGE SS2205

Made from superior strength duplex 2205 grade stainless steel, the Lifestyle square range provides the perfect mix of quality and strength. Innovatively designed recessed friction plates and patented double friction technology enables easy installation.



Core drill pool spigot

DOUBLE FRICTION

Polish, satin or matt black finish

Order Code: **LS-DF-S-P** (Polish)

LS-DF-S-S (Satin)

LS-DF-S-B (Black)

- Duplex stainless steel 2205
- Square shape with minimal visible fixings
- 45mm front profile
- Patented double friction technology allows for easy tilt adjustment and alignment of frameless glass panels
- Bottom M10 bolt provides up to 60mm of vertical height adjustment and extra anchoring in footings
- Recessed friction plates provide a neat finish and easy installation
- Structure of spigot maximises strength

Includes terminal for quick and easy earthing if required



Optional extras



Flat dress ring

100mm x 100mm outer

Polish, satin or matt black finish

Order Code: **LS-DR-P**

LS-DR-S

LS-DR-B



Raised dress ring

100mm x 100mm outer


Polish, satin or matt black finish

Order Code: **LS-DR-RAISED-P**


LS-DR-RAISED-S

LS-DR-RAISED-B

PATENTED double friction TECHNOLOGY



Adjust tilt and sideways alignment of glass easily



NOTE: DRAWINGS ARE NOT TO SCALE

LIFESTYLE SQUARE RANGE SS2205

Double friction technology really shines in our base plated spigots. In many instances, finished floors are not level which can cause issues for frameless glass installations. Double Friction spigots allow easy alignment of glass and importantly, easy adjustment in the future – commonly required for base plated installations on timber decks.



Base plated pool spigot DOUBLE FRICTION

Includes domical cover

Polish, satin or matt black finish

Order Code: **LS-DF-SBP-P** (Polish)

LS-DF-SBP-S (Satin)

LS-DF-SBP-B (Black)

- Duplex stainless steel 2205
- Slimline 45mm front profile
- Recessed double friction plates enable fast install plus tilt and sideways adjust of frameless glass
- Double friction technology saves installation time and allows ease of adjustability
- Multiple fixing points in base plate allow ease of install

Optional extras



Slimline domical cover

100mm x 100mm

Polish, satin or matt black finish

Order Code: **MAD-SDC-P**

MAD-SDC-S

MAD-SDC-B

12mm high domical cover


Consider if using countersunk fixings

Includes a 22mm high domical cover in the box




See page 36 for convenient timber & concrete fixing kits for base plated installs

PATENTED double friction TECHNOLOGY



Adjust tilt and sideways alignment of glass easily



NOTE: DRAWINGS ARE NOT TO SCALE

LIFESTYLE ROUND RANGE SS2205

The Lifestyle round spigot offers the classic 50mm round profile and is complemented with the modern twist of patented double friction technology and duplex stainless steel 2205 providing a timeless spigot with innovative easy installation features.



Core drill pool spigot

DOUBLE FRICTION

Polish or satin finish

Order Code: **LR-DF-S-P (Polish)**

LR-DF-S-S (Satin)

- Duplex stainless steel 2205
- Stylish round shape
- Patented double friction technology allows for easy tilt adjustment and alignment of frameless glass panels
- Bottom M10 bolt provides up to 60mm of vertical height adjustment and extra anchoring in footings
- Recessed friction plates provide a neat finish and easy installation
- Structure of spigot maximises strength

Includes terminal for quick and easy earthing if required



Optional extras



Flat dress ring

Ø90mm outer

Polish or satin finish

Order Code: **LR-DR-P**

LR-DR-S



Domed dress ring


Ø102mm outer

Polish or satin finish



Order Code: **RIO-SDC-P**

RIO-SDC-S

PATENTED double friction TECHNOLOGY



Adjust tilt and sideways alignment of glass easily



NOTE: DRAWINGS ARE NOT TO SCALE

LIFESTYLE ROUND RANGE SS2205

Double friction technology really shines in our base plated spigots. In many instances, finished floors are not level which can cause issues for frameless glass installations. Double Friction spigots allow easy alignment of glass and importantly, easy adjustment in the future – commonly required for base plated installations on timber decks.



Base plated pool spigot

DOUBLE FRICTION

Includes domical cover

Polish or satin finish

Order Code: **LR-DF-SBP-P (Polish)**

LR-DF-SBP-S (Satin)

- Duplex stainless steel 2205
- 50mm diameter profile
- Recessed double friction plates enable fast install plus tilt and sideways adjust of frameless glass
- Double friction technology saves installation time due to ease of adjustability
- Multiple fixing points in base plate allow ease of install

Optional extras



**12mm high
domical cover**

Consider if using
countersunk fixings

Slimline domical cover

Ø102mm outer

Polish or satin finish

Order Code: **RIO-SDC-P**
RIO-SDC-S




**See page 36 for
convenient timber &
concrete fixing kits for
base plated installs**


Includes a
27mm high
domical cover
in the box



PATENTED
**double
friction**
TECHNOLOGY



**Adjust tilt and sideways
alignment of glass easily**




6 mm



50mm

06mm

Ø50mm
18mm



55mm



**Multiple fixing
points for quick
and easy install**